

Directions

Please circle a value for each question to provide us and the interested facilities with an assessment of your clinical experience. These values confirm your strengths within your specialty and assist the facility in the selection process of the healthcare professionals.

Frequency	Experience
1 Observed Only or Never Done	1 No Experience
2 Rarely Done (<6 times/year)	2 Some Experience (Requires Assistance)
3 Occasionally Done (1-2 times/month)	3 Experienced (Performs without Assistance)
4 Frequently Done (daily or weekly)	4 Very Experienced (Performs Well)

Print Name

SS#

Date

Clinical Assessment Tools	Frequency	Experience
Intelligence Assessment:		
Wechsler Intelligence Scale (WAIS)	1 2 3 4	1 2 3 4
Wechsler Intelligence Scale for Children	1 2 3 4	1 2 3 4
Personality Assessment:		
Minnesota Multiphasic Personality Inventory (MMPI)	1 2 3 4	1 2 3 4
Rorschach Test	1 2 3 4	1 2 3 4
Thematic Apperception Test (TAT)	1 2 3 4	1 2 3 4
Child's Apperception Test (CAT)	1 2 3 4	1 2 3 4
Informal Cognitive Status Assessment	1 2 3 4	1 2 3 4
Mental Status Assessment	1 2 3 4	1 2 3 4
Gestalt Test	1 2 3 4	1 2 3 4
Stanford-Binet Test	1 2 3 4	1 2 3 4

Communication Techniques	Frequency	Experience
Active Listening	1 2 3 4	1 2 3 4
Restatement/Reflection	1 2 3 4	1 2 3 4
Clarification	1 2 3 4	1 2 3 4
Focusing	1 2 3 4	1 2 3 4
Confronting	1 2 3 4	1 2 3 4
Summarizing	1 2 3 4	1 2 3 4
Therapeutic Interventions		
Limit Setting	1 2 3 4	1 2 3 4
Positive Reinforcement	1 2 3 4	1 2 3 4
Reality Orientation	1 2 3 4	1 2 3 4
Questioning	1 2 3 4	1 2 3 4



Initials _____

Frequency	Experience
1 Observed Only or Never Done	1 No Experience
2 Rarely Done (<6 times/year)	2 Some Experience (Requires Assistance)
3 Occasionally Done (1-2 times/month)	3 Experienced (Performs without Assistance)
4 Frequently Done (daily or weekly)	4 Very Experienced (Performs Well)

Psychiatric Disorders	Frequency	Experience
Mood Disorders:		
Major Depression	1 2 3 4	1 2 3 4
Dysthymia	1 2 3 4	1 2 3 4
Bipolar Disorder (Manic-Depressive Illness)	1 2 3 4	1 2 3 4
Type I	1 2 3 4	1 2 3 4
Type II	1 2 3 4	1 2 3 4
Anxiety Disorders:		
GAD- Generalized Anxiety Disorder	1 2 3 4	1 2 3 4
Panic	1 2 3 4	1 2 3 4
Post Traumatic Stress Disorder	1 2 3 4	1 2 3 4
Obsessive-Compulsive	1 2 3 4	1 2 3 4
Phobias	1 2 3 4	1 2 3 4
Psychotic Disorders:		
Schizophrenia	1 2 3 4	1 2 3 4
Schizoaffective Disorder	1 2 3 4	1 2 3 4
Schizophreniform Disorder	1 2 3 4	1 2 3 4
Personality Disorders:		
Antisocial	1 2 3 4	1 2 3 4
Passive/Aggressive	1 2 3 4	1 2 3 4
Paranoia	1 2 3 4	1 2 3 4
Borderline	1 2 3 4	1 2 3 4
Schizotypal Personality Disorder	1 2 3 4	1 2 3 4
Congenital Disorders:		
Mental Retardation	1 2 3 4	1 2 3 4
Down's Syndrome	1 2 3 4	1 2 3 4
Cystic Fibrosis	1 2 3 4	1 2 3 4
Cerebral Palsy	1 2 3 4	1 2 3 4
Spina Bifida	1 2 3 4	1 2 3 4
Degenerative Disorders:		
Alzheimer's Disease	1 2 3 4	1 2 3 4
Parkinson's Disease	1 2 3 4	1 2 3 4
Huntington's Chorea	1 2 3 4	1 2 3 4
Eating Disorders:		
Anorexia Nervosa	1 2 3 4	1 2 3 4
Bulemia Nervosa	1 2 3 4	1 2 3 4
Pica	1 2 3 4	1 2 3 4



Initials _____

Frequency	Experience
1 Observed Only or Never Done	1 No Experience
2 Rarely Done (<6 times/year)	2 Some Experience (Requires Assistance)
3 Occasionally Done (1-2 times/month)	3 Experienced (Performs without Assistance)
4 Frequently Done (daily or weekly)	4 Very Experienced (Performs Well)

Crisis Management	Frequency	Experience
Homicide	1 2 3 4	1 2 3 4
Suicide	1 2 3 4	1 2 3 4
Suicide Precautions	1 2 3 4	1 2 3 4
Rape	1 2 3 4	1 2 3 4
Violent Individual	1 2 3 4	1 2 3 4
Violent Family	1 2 3 4	1 2 3 4

Substance Use / Abuse	Frequency	Experience
Alcoholism:		
Alcohol Withdrawal Syndrome	1 2 3 4	1 2 3 4
Delirium Tremens (DTs)	1 2 3 4	1 2 3 4
Wernicke-Korsakoff Syndrome	1 2 3 4	1 2 3 4
Drug Use/Abuse:		
Hallucinogenics	1 2 3 4	1 2 3 4
Opiates	1 2 3 4	1 2 3 4
Heroin	1 2 3 4	1 2 3 4
Prescription	1 2 3 4	1 2 3 4
Stimulants	1 2 3 4	1 2 3 4
Cocaine	1 2 3 4	1 2 3 4
Amphetamines	1 2 3 4	1 2 3 4
Benzodiazepams	1 2 3 4	1 2 3 4
Drug Withdrawal/ Detoxification	1 2 3 4	1 2 3 4

Sexuality Dysfunction	Frequency	Experience
Gender Identity Disorders:		
Paraphilias	1 2 3 4	1 2 3 4
Psychosexual Dysfunctions	1 2 3 4	1 2 3 4

Child/Adolescent Dysfunction	Frequency	Experience
Conduct Disorder	1 2 3 4	1 2 3 4
Separation Anxiety Disorders	1 2 3 4	1 2 3 4
ADHD Attention Deficit Hyperactivity Disorder	1 2 3 4	1 2 3 4
ADD Attention Deficit Disorder	1 2 3 4	1 2 3 4
Elimination Disorders:		
Encopresis	1 2 3 4	1 2 3 4
Enuresis	1 2 3 4	1 2 3 4
Pervasive Developmental Disorder:		
Autism	1 2 3 4	1 2 3 4
Asperger's Syndrome	1 2 3 4	1 2 3 4
Rett's Syndrome	1 2 3 4	1 2 3 4
Self-Destructiveness	1 2 3 4	1 2 3 4



Initials _____

Frequency	Experience
1 Observed Only or Never Done	1 No Experience
2 Rarely Done (<6 times/year)	2 Some Experience (Requires Assistance)
3 Occasionally Done (1-2 times/month)	3 Experienced (Performs without Assistance)
4 Frequently Done (daily or weekly)	4 Very Experienced (Performs Well)

Child/Adolescent Dysfunction cont'd	Frequency	Experience
Suicidal Behavior	1 2 3 4	1 2 3 4
Runaway Behavior	1 2 3 4	1 2 3 4
Substance Abuse	1 2 3 4	1 2 3 4
Delinquent Behavior	1 2 3 4	1 2 3 4
Neglect/lack of parental involvement	1 2 3 4	1 2 3 4
Physical/Sexual Abuse	1 2 3 4	1 2 3 4
Care of the Patient with Delusions	1 2 3 4	1 2 3 4
Care of the Patient with Hallucinations	1 2 3 4	1 2 3 4

Therapeutic Approaches	Frequency	Experience
Psychotherapy	1 2 3 4	1 2 3 4
Behavior Therapy	1 2 3 4	1 2 3 4
Milieu Therapy	1 2 3 4	1 2 3 4
Relationship/Family Therapy	1 2 3 4	1 2 3 4
Electroconvulsive Therapy (ECT)	1 2 3 4	1 2 3 4
Crisis Counseling	1 2 3 4	1 2 3 4
Behavior Modification	1 2 3 4	1 2 3 4
Group Therapy	1 2 3 4	1 2 3 4

Treatment Settings	Frequency	Experience
In-Patient Hospital Psych Unit	1 2 3 4	1 2 3 4
In-Patient Acute Psychiatric Facility	1 2 3 4	1 2 3 4
Chronic Psychiatric Facility	1 2 3 4	1 2 3 4
Out-Patient Clinic/Community Setting	1 2 3 4	1 2 3 4
Forensic Unit (Prison)	1 2 3 4	1 2 3 4
Eating Disorder Unit	1 2 3 4	1 2 3 4
Substance Abuse/Rehab Unit	1 2 3 4	1 2 3 4
Adolescent Unit	1 2 3 4	1 2 3 4
Children's Unit	1 2 3 4	1 2 3 4
Locked Unit/Ward	1 2 3 4	1 2 3 4

Legal/Ethical	Frequency	Experience
Legal Right's of the Mentally Ill	1 2 3 4	1 2 3 4
Informed Consent	1 2 3 4	1 2 3 4
Right to Refuse Treatment	1 2 3 4	1 2 3 4
Voluntary Commitment	1 2 3 4	1 2 3 4
Involuntary Commitment	1 2 3 4	1 2 3 4
Use of Restraints	1 2 3 4	1 2 3 4
Use of Seclusion	1 2 3 4	1 2 3 4
Terrasoff "Duty to Warn"	1 2 3 4	1 2 3 4



Initials _____

Frequency	Experience
1 Observed Only or Never Done	1 No Experience
2 Rarely Done (<6 times/year)	2 Some Experience (Requires Assistance)
3 Occasionally Done (1-2 times/month)	3 Experienced (Performs without Assistance)
4 Frequently Done (daily or weekly)	4 Very Experienced (Performs Well)

Medications	Frequency	Experience
Analgesics/Narcotics (MS, Dilaudid, Demerol, Fentanyl, methadone)	1 2 3 4	1 2 3 4
Antidepressants (TCA, MAOIs, SSRI's)	1 2 3 4	1 2 3 4
Antiolitics (Benzodiazepines)	1 2 3 4	1 2 3 4
Anti-Parkinson (Levodopa, Sinemet)	1 2 3 4	1 2 3 4
Antipsychotic (Thorazine, Haldol, Zyraxa, Seroquel)	1 2 3 4	1 2 3 4
Mood Stabilizer (Lithium, Depakote, Tegretol)	1 2 3 4	1 2 3 4

Skilled Nursing Care	Frequency	Experience
General Nursing Systems Assessment	1 2 3 4	1 2 3 4
Patient/Family Teaching	1 2 3 4	1 2 3 4
Electronic Documentation (Specify)	1 2 3 4	1 2 3 4
Automated Medication Dispensing Systems (Specify)	1 2 3 4	1 2 3 4
Universal Precautions	1 2 3 4	1 2 3 4
Care of the patient in Isolation	1 2 3 4	1 2 3 4
Care of the patient in Restraints	1 2 3 4	1 2 3 4
Assessment and Management of Pain	1 2 3 4	1 2 3 4
Airway Management	1 2 3 4	1 2 3 4
Oxygen Therapy	1 2 3 4	1 2 3 4
Oral/Nasotracheal Suctioning	1 2 3 4	1 2 3 4
Pulse Oximetry	1 2 3 4	1 2 3 4
Venipuncture	1 2 3 4	1 2 3 4
Saline Lock/Peripheral IV Insertion	1 2 3 4	1 2 3 4
Management of CVC's (Central Venous Catheters)	1 2 3 4	1 2 3 4
Management Ports/ Groshong/Hickman/Broviac Catheters	1 2 3 4	1 2 3 4
Blood Glucose Monitoring	1 2 3 4	1 2 3 4
Foley Catheter Insertion/ Maintenance	1 2 3 4	1 2 3 4
NG Tube Insertion/Maintenance	1 2 3 4	1 2 3 4
Wound Care/Dressing Changes	1 2 3 4	1 2 3 4
Administration of Blood/ Blood products	1 2 3 4	1 2 3 4
Management of Fluid/ Electrolyte Balance	1 2 3 4	1 2 3 4
Intake & Output	1 2 3 4	1 2 3 4
Seizure Precautions	1 2 3 4	1 2 3 4
Use of Rapid Response Teams	1 2 3 4	1 2 3 4
Cardiac Arrest/CPR	1 2 3 4	1 2 3 4
End of Life Care	1 2 3 4	1 2 3 4
Lift/Transfer Devices	1 2 3 4	1 2 3 4



Initials _____

Frequency	Experience
1 Observed Only or Never Done	1 No Experience
2 Rarely Done (<6 times/year)	2 Some Experience (Requires Assistance)
3 Occasionally Done (1-2 times/month)	3 Experienced (Performs without Assistance)
4 Frequently Done (daily or weekly)	4 Very Experienced (Performs Well)

Age Specific Practice	Frequency	Experience
Newborn/Neonate (Birth-30 Days)	1 2 3 4	1 2 3 4
Infant (30 Days-1 Year)	1 2 3 4	1 2 3 4
Toddler (1-3 Years)	1 2 3 4	1 2 3 4
Preschooler (3-5 Years)	1 2 3 4	1 2 3 4
School Age (5-12 Yr)	1 2 3 4	1 2 3 4
Adolescents (12-18 Yr)	1 2 3 4	1 2 3 4
Young Adult (18-39 Yr)	1 2 3 4	1 2 3 4
Adults (40-64 Yr)	1 2 3 4	1 2 3 4
Older Adult (65-79 Yr)	1 2 3 4	1 2 3 4
Elderly (80 + Yr)	1 2 3 4	1 2 3 4

Please list any additional skills:	
1.	2.
3.	4.
Additional Training:	
1.	2.
3.	4.
Additional Equipment:	
1.	2.
3.	4.

Fax to: 1-888-298-3146

The information on this and all preceding pages is true and correct.

Signature

Date